AMENDMENT

In the specification

On page 7, kindly replace the equation beginning at line 13 with the following formula:

EQ. 1:

$$z = \underbrace{\frac{cr^2}{1 + \sqrt{(1 - (1 + k)c^2r^2)}}} + \alpha_1r^2 + \alpha_2r^4 + \alpha_3r^6 + \alpha_4r^8 + \alpha_5r^{10} + \alpha_6r^{12} + \alpha_7r^{14} + \alpha_8r^{16}$$

where Z is the surface sag,

R is the base radius of curvature of the lens,

$$c = 1/R$$

k is the conic constant,

 α_I are coefficients on powers of r

and r is the radial lens position.

On page 8, kindly replace the equation beginning at line 13 with the following formula:

EQ. 2:

MTF (v) =
$$\frac{(\text{Max}_{\underline{i}} - \text{Min}_{\underline{i}})/ (\text{Max}_{\underline{i}} + \text{Min}_{\underline{i}})}{(\text{Max}_{\underline{o}} - \text{Min}_{\underline{o}})/ (\text{Max}_{\underline{o}} + \text{Min}_{\underline{o}})}$$

 a_{a}

Where:

 $Max_i = maximum image intensity$

Min_i = minimum image intensity

 $Max_o = maximum object intensity$

Min_o = minimum object intensity

On page 9, kindly replace the equation beginning at line 4 with the following formula:

ATLLIB01 1493033.1

EQ 4:

$$Z = \underline{0.61\lambda}$$

NA

On page 10, line 19, kindly delete the heading "Summary of the Invention."

On page 12, line 16, before the heading "Brief Description of the Drawings" kindly insert the following paragraph:

--<u>Summary</u>

This invention provides a portable single lens microscope that provides structure between the eye and the microscope slide, preferably including a single lens having an aperture optimized to attain the best image resolution, preferably including a focus mechanism, preferably including a slide holding and moving mechanism, and preferably including a slide position locking mechanism, or any combination of these structures and mechanisms. It includes methods for determining an optimum aperture size for a single lens microscope (and other uses) including a lens of any type, and methods for designing a single lens microscope lens system that provides superior image quality. A single lens microscope according to the present invention can provide substantial and unexpected imaging benefits over previous single lens microscopes and compound microscopes.--

On page 22, kindly replace the equation beginning at line 21 with the following formula:

EQ 9:

$$z = \underline{cr^{2}}_{1 + \sqrt{(1-c^{2}r^{2})}} + \alpha_{2}r^{4} + \alpha_{3}r^{6} + \alpha_{4}r^{8} + \alpha_{5}r^{10} + \alpha_{6}r^{12} + \alpha_{7}r^{14} + \alpha_{8}r^{16}$$

On page 32, kindly replace the equation beginning at line 21 with the following formula:

EQ. 10:

$$\Phi = \Sigma A_i \rho^{2i}$$

i=1

96

Where:

 Φ = optical phase

 A_i = coefficients on even powers of ρ

 ρ = radial coordinate of lens